



**JCHI**

**AERIAL WORK PLATFORMS**

## Manual Scissor lifts

	GTJY6	GTJY8	GTJY8W	GTJY10A
最大工作高度 Max. working height(m)	7.8	10	10	11.8
最大平台高度 Max. platform height(m)	6	8.2	8.2	10
额定载荷 Lifting capacity (kg)	250	250	495	300
整机收藏长度 Length-stowed(m)	2.06	2.06	2.06	2.5
整机收藏宽度 Width-stowed(m)	0.9	0.9	0.9	1.1
整机收藏高度 Height-stowed(m)	2.1	2.2	2.3	2.2
平台尺寸 Platform dimensions(L*W) (m)	1.9X0.9	1.9X0.9	1.9X0.9	2.4X1.1
平台延伸 Platform extension(m)	0.8	0.8	0.8	0.9
平台延伸部分载荷 Extension capacity(kg)	100	100	100	100
整机质量 Machine weight(kg)	920	960	1050	1580
电机功率 Electromotor power(kW)	1.5	1.5	1.5	1.5
电机转数 Electromotor speed(r/min)	1400	1400	1400	1400
交流电压 AC voltage(V)	~220	~220	~220	~220
轴距 Axle base(m)	1.7	1.7	1.7	2.15
平台升降速度 Lifting speed(m/s)	≥0.5	≥0.5	≥0.5	≥0.5
支撑宽度 Width-outrigger footprints(m)	2.32	2.32	2.32	2.43
支撑长度 Length-outrigger footprints(m)	2.01	2.01	2.01	2.85



GTBY-225

GTJZ-10



GLY50

GTBZ-30

GTBZ-25



GTBY-225

GTJZ-10



GLY50

GTBZ-30

GTBZ-25



**Beijing Jingcheng Heavy Industry Co. Ltd.**

2, Chuangyeyuan Road,  
Xinghu Industrial Garden, Taihu Town,  
Tongzhou District, 101116, Beijing,  
P. R. China  
Tel: 86 10-6153 9210  
[www.jchic.com](http://www.jchic.com)  
[sales@jchic.com](mailto:sales@jchic.com)



\*Contact us for configuration details and performance.  
JCHI reserves the right to modify specifications without prior notification.